

# Hacking Archive Software For Fun, Profit and Pain

Mark Hymers

Debconf 11



# debian-archive-kit

- `git clone http://ftp-master.debian.org/git/dak.git`
- `setup/README` <sup>1</sup>
- Top level `dak` command provides many subcommands
- Schema update scripts are in `dak/dakdb`: fragile
- Much of the logic can be found in the `daklib/` directory
- The “test suite” is in `tests/`
- Some debian-specific tools are in `tools/`

---

<sup>1</sup>By the end of the week, this should be mostly complete. Until then, use the branch at <http://ftp-master.debian.org/users/mhy/git/dak.git>

# Sticking Plasters

- Clean up, centralise and document config for:
  - ▶ Mail handling
  - ▶ Interfacing with GPG
  - ▶ BTS / Packages / Versioning / Debian-specific handling
- Throwing away binaries
- Running lintian as a less privileged user
- Bug fixing... <http://bugs.debian.org/ftp.debian.org>



# Painkillers

- Enhancing the test suite
- GPG-signed mail gateway module
- Removing long descriptions from Packages (ansgar is on this)
- debtags integration changes (after discussions with enrico)
- ddebs and tdebs integration support
- Long-term-memory: Remembering sources and binaries (with checksums) long after they're gone
- Enhance manage-build-queues to be able to build from queues, not just suites
- “On-demand” suite handling
- Saner `known_changes` handling
- Sections and Components need normalising
- Packaging and upload to unstable: maybe after some of the major surgery...



# Major Surgery - “Queue handling”

- Requirements:

- ▶ .changes signatures should only be checked at initial process-upload (unchecked) time
- ▶ After this, the database should have a complete representation of the upload
- ▶ At the moment, it has most of the schema for this, but uses very little of it
- ▶ Affects process-upload, process-policy, process-new, control-suite, clean-suites, clean-queues

- Why?

- ▶ Stops us rejecting security / proposed-update uploads due to the fact the gpg key expires in the meantime
- ▶ Means that it's much easier to ensure that we track orig files
- ▶ It's the “Right Thing To Do” (TM)



# Open-Heart Surgery - “Multiple-Archive” support

- Requirements:
  - ▶ Make use of (and probably refactor) the archive and location tables
  - ▶ suites will need to be linked to a location
  - ▶ Affects process-upload, control-suite and anything which migrates packages between suites
  - ▶ Need to update clean-suites and (possibly) clean-queues
  - ▶ manage-build-queues will need to be enhanced
  - ▶ other than that, how hard can it be?
- Why?
  - ▶ [data.debian.org](http://data.debian.org)
  - ▶ First step on merging [security-master.debian.org](http://security-master.debian.org) into the main archive
  - ▶ PPAs



- Finish moving the ftp-master web-site into the ikiwiki instance
- Clean up ftp.debian.org bugs page, especially for dak related issues <sup>2</sup>
- ...

---

<sup>2</sup>Many of the dak related bugs probably don't even apply any more



# Any Questions?

- `git clone http://ftp-master.debian.org/git/dak.git`
- `#debian-dak` and `#debian-ftp` on `irc.debian.org`
- `debian-dak@lists.debian.org`
- `ftpmaster@debian.org`

